

```

<xml xmlns="https://developers.google.com/blockly/xml">
  <block type="comment" id="AD(O@^I{!b*2@Bj_l/t6" x="63" y="438">
    <field name="COMMENT">Daikin Wohnzimmer</field>
    <next>
      <block type="on_ext" id="A9FSP//K)D#qD)_UHA-V">
        <mutation xmlns="http://www.w3.org/1999/xhtml" items="1"></mutation>
        <field name="CONDITION">ne</field>
        <field name="ACK_CONDITION"></field>
        <value name="OID0">
          <shadow type="field_oid" id="q]|-in[=D;w3UiY|82QV">
            <field name="oid">mqtt.0.state.F0F5BD731830.status</field>
          </shadow>
        </value>
        <statement name="STATEMENT">
          <block type="update" id="+fyglk-9$eE95zI{#1I[">
            <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
            <field
name="OID">0_userdata.0.DaikinWohnzimmer.Aussentemperatur</field>
            <field name="WITH_DELAY">FALSE</field>
            <value name="VALUE">
              <block type="get_attr" id="0hzM-d@H.kIJ+f,/W*|Z">
                <value name="PATH">
                  <shadow type="text" id="LcU7i~E?e,7A0.3p77%Q">
                    <field name="TEXT">outside</field>
                  </shadow>
                </value>
                <value name="OBJECT">
                  <block type="on_source" id="h]e[x_05+Z.Ar0L].9R(">
                    <field name="ATTR">state.val</field>
                  </block>
                </value>
              </block>
            </value>
          </block>
          <next>
            <block type="update" id="dVNXW^.1.mQMrY~_QG`n">
              <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
              <field
name="OID">0_userdata.0.DaikinWohnzimmer.Innentemperatur</field>
              <field name="WITH_DELAY">FALSE</field>
              <value name="VALUE">
                <block type="get_attr" id="{fHzmK!55to^@Hfa!W6t">
                  <value name="PATH">
                    <shadow type="text" id="m+=.Uq@b)-|q$Z^1xj`y">
                      <field name="TEXT">home</field>
                    </shadow>
                  </value>
                  <value name="OBJECT">
                    <block type="on_source" id="|)uW?i)pl:I?mU[1Jot*">
                      <field name="ATTR">state.val</field>
                    </block>
                  </value>
                </block>
              </value>
            </block>
          </next>
        </statement>
      </block>
    </next>
  </block>

```

```
</value>
<next>
  <block type="update" id="Ed310MZ9bU-(`j*B^Zvo">
    <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
    <field
name="OID">0_userdata.0.DaikinWohnzimmer.kuehlmitteltemp</field>
    <field name="WITH_DELAY">FALSE</field>
    <value name="VALUE">
      <block type="get_attr" id="H{!EL#F,FBxPP1=IjTa/">
        <value name="PATH">
          <shadow type="text" id="#]|4ff3gANEMjL-+a{74">
            <field name="TEXT">liquid</field>
          </shadow>
        </value>
        <value name="OBJECT">
          <block type="on_source" id="JE:KV$%Cg7c@bi`{sRtd">
            <field name="ATTR">state.val</field>
          </block>
        </value>
      </block>
    </value>
  </value>
  <next>
    <block type="update" id="K2S@r*%T,:S)Ua6`zVKG">
      <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
      <field
name="OID">0_userdata.0.DaikinWohnzimmer.Luefterdrehzahl</field>
      <field name="WITH_DELAY">FALSE</field>
      <value name="VALUE">
        <block type="get_attr" id="q89v8SNmYAeg15,0+${~E">
          <value name="PATH">
            <shadow type="text" id="^P`X#-MVS*~r|M#xDFvU">
              <field name="TEXT">fanrpm</field>
            </shadow>
          </value>
          <value name="OBJECT">
            <block type="on_source" id="u@)1[NJ2k#dmKH6)PrcQ">
              <field name="ATTR">state.val</field>
            </block>
          </value>
        </block>
      </value>
    </value>
  </value>
  <next>
    <block type="update" id="^xAyR_GkT-IzfJfhE?!R">
      <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
      <field
name="OID">0_userdata.0.DaikinWohnzimmer.comfort</field>
      <field name="WITH_DELAY">FALSE</field>
      <value name="VALUE">
        <block type="get_attr" id="*-%ANZfsTDz](hlhfD#q">
          <value name="PATH">
            <shadow type="text" id="+#:ya1X:vL!*lV3@idiw">
```

```
        <field name="TEXT">comfort</field>
      </shadow>
    </value>
    <value name="OBJECT">
      <block type="on_source"
id="QO` P0#u,dP5}m=9gL=[(">
        <field name="ATTR">state.val</field>
      </block>
    </value>
  </block>
</value>
<next>
  <block type="update" id="G@zcpNd02G2$We@^z9~e">
    <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
      <field
name="OID">0_userdata.0.DaikinWohnzimmer.econo</field>
      <field name="WITH_DELAY">FALSE</field>
      <value name="VALUE">
        <block type="get_attr"
id="V#Iwgz10lzTt[q@:Vh7e">
          <value name="PATH">
            <shadow type="text"
id="},/bcgT1c-wH~){Z+ed?">
              <field name="TEXT">econo</field>
            </shadow>
          </value>
          <value name="OBJECT">
            <block type="on_source"
id="!;reRIRf]L%:qOeSW^kE">
              <field name="ATTR">state.val</field>
            </block>
          </value>
        </block>
      </value>
    <next>
      <block type="update"
id="6i~BA(1$]Sg4ZZG8nIYC">
        <mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
          <field
name="OID">0_userdata.0.DaikinWohnzimmer.Mode</field>
          <field name="WITH_DELAY">FALSE</field>
          <value name="VALUE">
            <block type="get_attr"
id="V1A5J~_{Zvr^4`Jf9rA">
              <value name="PATH">
                <shadow type="text"
id="0Ck}oQ].1`UqVy/j9F1S">
                  <field name="TEXT">mode</field>
                </shadow>
              </value>
              <value name="OBJECT">
                <block type="on_source"
```

```
id="]mLmud!)k-#QA!$}0x_1">
    <field name="ATTR">state.val</field>
  </block>
</value>
</block>
</value>
<next>
  <block type="update"
id="SNK#oAgUqgGiI=(ft~0w">
    <mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
    <field
name="OID">0_userdata.0.DaikinWohnzimmer.heat</field>
    <field name="WITH_DELAY">FALSE</field>
    <value name="VALUE">
      <block type="get_attr"
id="rMh@BVA8IoWmfr6@J%m+">
        <value name="PATH">
          <shadow type="text"
id="r/u_p{1I585XKBV^P%U[">
            <field name="TEXT">heat</field>
          </shadow>
        </value>
        <value name="OBJECT">
          <block type="on_source"
id="N]CA#Uu$xD.ESJX@wzB#">
            <field
name="ATTR">state.val</field>
            </block>
          </value>
        </block>
      </value>
    </next>
    <block type="update"
id="C(rPp3Ea0*TY#!1WGsw0">
      <mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
      <field
name="OID">0_userdata.0.DaikinWohnzimmer.powerful</field>
      <field
name="WITH_DELAY">FALSE</field>
      <value name="VALUE">
        <block type="get_attr"
id="( /S8,En6pX.8C@]rgkQ4">
          <value name="PATH">
            <shadow type="text"
id="3@!vQ7Fi!Q=1tmW[YoQP">
              <field
name="TEXT">powerful</field>
              </shadow>
            </value>
            <value name="OBJECT">
              <block type="on_source"
id="/lGRK1b}Z?i)43FV0yz;">
```

```

name="ATTR">state.val</field>
</block>
</value>
</block>
</value>
<next>
<block type="update"
id=")3;09xxb1EMG3oSz+m-_">
<mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
<field
name="OID">0_userdata.0.DaikinWohnzimmer.quiet</field>
<field
name="WITH_DELAY">FALSE</field>
<value name="VALUE">
<block type="get_attr"
id="Y$.?rL^mh;10an1*kxc$">
<value name="PATH">
<shadow type="text"
id="A0dPr;).G[4$X%/++$4]">
<field
name="TEXT">quiet</field>
</shadow>
</value>
<value name="OBJECT">
<block type="on_source"
id="_Vaj=o;57[pV+]ESlGzR">
<field
name="ATTR">state.val</field>
</block>
</value>
</block>
</value>
<next>
<block type="update"
id="`OP/p4CF8J2!c8[S(cQL">
<mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
<field
name="OID">0_userdata.0.DaikinWohnzimmer.streamer</field>
<field
name="WITH_DELAY">FALSE</field>
<value name="VALUE">
<block type="get_attr"
id="2+1]:1|A.6SyqyM*tBfr">
<value name="PATH">
<shadow type="text"
id="@mudg|o[?v]^eBe]v(hj">
<field
name="TEXT">streamer</field>
</shadow>
</value>
<value name="OBJECT">

```

```

type="on_source" id="@1bS9!X!RXkX`GT|[B^$">
name="ATTR">state.val</field>
id="I.Iq8c|pZC4CddVvz]}8">
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
name="OID">0_userdata.0.DaikinWohnzimmer.swingh</field>
name="WITH_DELAY">FALSE</field>
id="rcY54Sk*#UQRH4,zg+mH">
type="text" id="-8N9^0g5%Fe:Wo^B.,xt">
name="TEXT">swingh</field>
name="OBJECT">
type="on_source" id="G11)*E9x1=.6s*RuY`A=">
name="ATTR">state.val</field>
id="L19~n*h#oY7mp*w:F~i+">
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
name="OID">0_userdata.0.DaikinWohnzimmer.swingv</field>
name="WITH_DELAY">FALSE</field>
type="get_attr" id="HhRiyF39D4s(a?9emQKB">
name="PATH">
type="text" id="@0/x=j*2hc?}74U/p1yJ">

```

```

<block
  <field
    </block>
  </value>
</block>
</value>
<next>
  <block type="update"
    <mutation
      <field
        <field
          <value name="VALUE">
            <block type="get_attr"
              <value name="PATH">
                <shadow
                  <field
                    </shadow>
                  </value>
                <value
                  <block
                    <field
                      </block>
                    </value>
                  </block>
                </value>
              <next>
                <block type="update"
                  <mutation
                    <field
                      <field
                        <value name="VALUE">
                          <block
                            <value
                              <shadow
                                <field

```

```

name="TEXT">swingv</field>
</shadow>
</value>
<value
name="OBJECT">
<block
type="on_source" id="cQ,$+^1wY!Cp^{)uW*V0">
<field
name="ATTR">state.val</field>
</block>
</value>
</block>
</value>
<next>
<block
type="update" id="YP)|1X1Kg/UGs:!q#Y$k">
<mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
<field
name="OID">0_userdata.0.DaikinWohnzimmer.demand</field>
<field
name="WITH_DELAY">FALSE</field>
<value
name="VALUE">
<block
type="get_attr" id="-C9:eyM?5?%Q3gD4t?XB">
<value
name="PATH">
<shadow
type="text" id="HZyb]cDSW!Vw_AQMaBr(">
<field
name="TEXT">demand</field>
</shadow>
</value>
<value
name="OBJECT">
<block
type="on_source" id="}zhi7Sh:kb::c}~*^L;u">
<field
name="ATTR">state.val</field>
</block>
</value>
</block>
</value>
<next>
<block
type="update" id="/2,gQkT-ml[$V$JL{a$r">
<mutation
xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
<field
name="OID">0_userdata.0.DaikinWohnzimmer.Sollwert</field>
<field
name="WITH_DELAY">FALSE</field>
<value

```

```
name="VALUE">
type="get_attr" id="6EGncRg0/M2Z#`V%QKR">
name="PATH">
<shadow type="text" id="@df_e7%Q!?!S!]/^51YJV">
<field name="TEXT">autot</field>
</shadow>
name="OBJECT">
type="on_source" id="P2|B$3Yr0ajgutX[Sn}g">
<field name="ATTR">state.val</field>
</block>
type="update" id="[XXBWKk?v$Cl;9c0E+5*">
<mutation xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>
name="OID">0_userdata.0.DaikinWohnzimmer.SollwertDaikin</field>
name="WITH_DELAY">FALSE</field>
name="VALUE">
type="get_attr" id="um;FTAk~/w;Aok@eaJX0">
<value name="PATH">
<shadow type="text" id="-L}bGi%z(d}h8wBEnX0s">
<field name="TEXT">temp</field>
</shadow>
</value>
<value name="OBJECT">
<block type="on_source" id="6*8v}4}2T/WTN6W]!yK$">
<field name="ATTR">state.val</field>
</block>
```

</value>

</block>

</value>

<next>

<block

type="update" id="ddw:y/y(oOD]D?,YY!WU">

<mutation xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>

<field name="OID">0_userdata.0.DaikinWohnzimmer.autor</field>

<field name="WITH_DELAY">FALSE</field>

<value name="VALUE">

<block type="get_attr" id="MZ({kHiNM5Sgt.Ry`gpe">

<value name="PATH">

<shadow type="text" id="P7[8v_)qFaH+620SQZU(">

<field name="TEXT">autor</field>

</shadow>

</value>

<value name="OBJECT">

<block type="on_source" id="GWQ}@5Q[?WtK[KB^mm1T">

<field name="ATTR">state.val</field>

</block>

</value>

</block>

</value>

<next>

<block type="update" id="NkYAtmEn3D(8Km,KZUu? ">

<mutation xmlns="http://www.w3.org/1999/xhtml" delay_input="false"></mutation>

<field name="OID">0_userdata.0.DaikinWohnzimmer.autop</field>

<field name="WITH_DELAY">FALSE</field>

<value name="VALUE">

```
<block type="get_attr" id="w:9G~CvFN~U*J3W6A7kD">
  <value name="PATH">
    <shadow type="text" id="_m|_8yPh`HoyW:}M*0x,">
      <field name="TEXT">autop</field>
    </shadow>
  </value>
  <value name="OBJECT">
    <block type="on_source" id="M,*q*xGG_yS)iFWb1N[-">
      <field name="ATTR">state.val</field>
    </block>
  </value>
</block>
</value>
<next>
  <block type="update" id="{FU9(#h^{VWL_+5K*|?d">
    <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
    <field name="OID">0_userdata.0.DaikinWohnzimmer.power</field>
    <field name="WITH_DELAY">FALSE</field>
    <value name="VALUE">
      <block type="get_attr" id="B!_(R58QcaQxKGP_[0rB">
        <value name="PATH">
          <shadow type="text" id="6zX#E|p)^a[HoUZXj|Iq">
            <field name="TEXT">power</field>
          </shadow>
        </value>
      <value name="OBJECT">
```

```
<block type="on_source" id="kAT^E6B3U,b91xAL.|RI">
  <field name="ATTR">state.val</field>
</block>
</value>
</block>
</value>
<next>
  <block type="update" id="0@KZx#6/Q)Zw(Rb+f5bG">
    <mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>
    <field name="OID">0_userdata.0.DaikinWohnzimmer.auto0</field>
    <field name="WITH_DELAY">FALSE</field>
    <value name="VALUE">
      <block type="get_attr" id="MD8r@C4r0D$nW#QBxija">
        <value name="PATH">
          <shadow type="text" id="=g`t`W]C!b;Vl4M?bFeX">
            <field name="TEXT">auto0</field>
          </shadow>
        </value>
        <value name="OBJECT">
          <block type="on_source" id="/xDcV8_77*svB6Dm/-Zv">
            <field name="ATTR">state.val</field>
          </block>
        </value>
      </block>
    </value>
  </block>
</value>
<next>
  <block type="update" id="]o/S^Q.*C_AI0)jp~UBr">
```

```
<mutation xmlns="http://www.w3.org/1999/xhtml"
delay_input="false"></mutation>

<field name="OID">0_userdata.0.DaikinWohnzimmer.auto1</field>
<field name="WITH_DELAY">FALSE</field>
<value name="VALUE">
  <block type="get_attr" id="vpEoM^q3!s.t4[IvJ.Je">
    <value name="PATH">
      <shadow type="text" id=",s8;dV4eb;|BbxT64hTz">
        <field name="TEXT">auto1</field>
      </shadow>
    </value>
    <value name="OBJECT">
      <block type="on_source" id="-l0xd*tZlnwr;~%NNc{s">
        <field name="ATTR">state.val</field>
      </block>
    </value>
  </block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
```

